

## FINAL RTV TUPE SILICONE

### **SECTION 1: IDENTIFICATIONS OF THE SUBSTANCE /MIXTURE AND OF THE COMPANY/UNDERTAKING**

#### **1.1. Product identifier**

Product form	: MIXTURE
Trade name	: FINAL RTV SILICONE 30 GR
Product code	: 5130 Sealant Acetoxy
Type of product	: SILICONE SEALANT
Product group	: TRADE PRODUCT

#### **1.2. Relevant identified uses of the substance or mixture and uses discouraged**

Intended use: Silicone sealant.

#### **1.3. Details of the supplier providing the safety data sheet**

Head office: Final İthalat İhracat Sanayi Ve Ticaret Limited Şirketi. Halkalı Merkez Mah. Dereboyu Cad.  
34303 küçükçekmece/ İstanbul

Phone: +90 (212) 979 08 53

info@final-ticaret.com                      www.final-ticaret.com

#### **1.4. Emergency telephone number**

Poison emergency hotline İstanbul: +90 (212) 979 08 53.

### **SECTION 2: HAZARDS IDENTIFICATION**

#### **2.1. Classification of the substance or mixture**

**Classification according to Regulation (EC) No 1272/2008:**

Not a hazardous substance or mixture according to Regulation (EC) No. 1272/2008.

#### **2.2. Label elements**

**Labelling according to Regulation (EC) No 1272/2008:**

Not a hazardous substance or mixture according to Regulation (EC) No. 1272/2008.

#### **Precautionary statements**

P271                      Use only outdoors or in a well-ventilated area.

#### **Supplemental information**

EUH210                      Safety data sheet available on request.

EUH208                      Contains: Bis[(2-ethyl-2,5-dimethylhexanoyl) oxy] (dimethyl) stannane. May

produce an allergic reaction.

EUH212

Warning! Hazardous respirable dust may be formed when used. Do not breathe dust.

## Endocrine disrupting properties

**Environment:** The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

**Human Health:** The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

**Chemical nature:** Silicone elastomer.

### 3.1. Mixtures

This product is a mixture.

CASRN / EC-No. / Index-No.	REACH Registration Number	Concentration	Component	Classification: REGULATION (EC) No 1272/2008
CASRN 13463-67-7 EC-No. 236-675-5 Index-No. –	01-2119489379-17	<= 1.89 %	titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 µm]	Carc. 2; H351 Acute toxicity estimate Acute oral toxicity: > 10,000 mg/kg Acute inhalation toxicity: > 6.82 mg/l, 4 Hour, dust/mist Acute dermal toxicity:

CASRN 556-67-2 EC-No. 209-136-7 Index-No. 014-018-00-1	-	$\geq 0.2 - \leq 0.29 \%$	octamethylcyclotetraasiloxane	Flam. Liq. 3; H226 Repr. 2; H361f Aquatic Chronic 1; H410 M-Factor (Chronic aquatic toxicity): 10 Acute toxicities estimate Acute oral toxicity: $> 4,800 \text{ mg/kg}$ Acute inhalation toxicity: 36 mg/l, 4 Hour, dust/mist Acute dermal toxicity: $> 2,400 \text{ mg/kg}$
CASRN 68928-76-7 EC-No. 273-028-6 Index-No.	01-2120770324-57	$\geq 0.01 - \leq 0.02 \%$	Bis [(2-ethyl-2,5-dimethyl hexanoyl)oxy] (dimethyl) stannane	Acute Tox. 4; H302 Skin Irrit. 2; H315 Skin Sens. 1A; H317 Aquatic Chronic 3; H412 Acute toxicity estimate Acute oral toxicity: 892 mg/kg Acute dermal toxicity: $> 2,000 \text{ mg/kg}$

PBT and vPvB substance

CASRN 540-97-6 EC-No. 208-762-8 Index-No.	-	$\geq 0.36 - \leq 0.43 \%$	Dodecamethyl cyclohexasiloxane	Not classified Acute toxicity estimate Acute oral toxicity: $> 2,000 \text{ mg/kg}$ Acute dermal toxicity: $> 2,000 \text{ mg/kg}$
--	---	----------------------------	--------------------------------	--

CASRN 541-02-6 EC-No. 208-764-9 Index-No.	-	$\geq 0.2 - \leq 0.31 \%$	Decamethylcyclotrisiloxane	Not classified Acute toxicity estimate Acute oral toxicity: $> 24,134 \text{ mg/kg}$ Acute inhalation toxicity: $8.67 \text{ mg/l, 4 Hour, dust/mist}$ Acute dermal toxicity: $> 2,000 \text{ mg/kg}$
--	---	---------------------------	----------------------------	--

Substances with a workplace exposure limit

CASRN 1328-53-6 EC-No. 215-524-7 Index-No.	01-2119459333-39	$\leq 1.22 \%$	C.I. Pigment Green7	Not classified Acute toxicity estimate Acute oral toxicity: $> 5,000 \text{ mg/kg}$
CASRN 20344-49-4 EC-No. 243-746-4 Index-No.	-	$\leq 1.08 \%$	Iron hydroxide oxide	Not classified Acute toxicity estimate Acute oral toxicity: $> 10,000 \text{ mg/kg}$

## SECTION 4: FIRST AID MEASURES

### 4.1. Description of first aid measures

General advice:

First Aid responders should pay attention to self-protection and use the recommended protective clothing (chemical resistant gloves, splash protection).

**Inhalation:** Move person to fresh air and keep comfortable for breathing. If not breathing, give artificial respiration; if by mouth-to-mouth use rescuer protection (pocket mask, etc.) If breathing is difficult, oxygen should be administered by qualified personnel. Call a physician or transport to a medical facility.

**Skin contact:** Remove material from skin immediately by washing with soap and plenty of water. Remove contaminated clothing and shoes while washing. Seek medical attention if irritation or rash occurs. Wash clothing before reuse. Discard items which cannot be decontaminated, including leather articles such as shoes, belts and watchbands.

**Eye contact:** Flush eyes thoroughly with water for several minutes. Remove contact lenses after the initial 1-2 minutes and continue flushing for several additional minutes. If effects occur, consult a physician, preferably an ophthalmologist.

**Ingestion:** Rinse mouth with water. No emergency medical treatment necessary.

#### **4.2 Indication of any immediate medical attention and special treatment needed Notes to**

**physician:** Maintain adequate ventilation and oxygenation of the patient. No specific antidote.

Treatment of exposure should be directed at the control of symptoms and the clinical condition of the patient.

### **SECTION 5: FIREFIGHTING MEASURES**

#### **5.1. Extinguishing media**

**Suitable extinguishing media:** Water spray. Alcohol-resistant foam. Carbon dioxide (CO<sub>2</sub>). Dry chemical.

**Unsuitable extinguishing media:** None known.

#### **5.2. Special hazards arising from the substance or mixture**

**Hazardous combustion products:** Carbon oxides. Silicon oxides. Metal oxides. Cobalt compounds. Nitrogen oxides (NO<sub>x</sub>). Chlorine compounds.

**Unusual Fire and Explosion Hazards:** Exposure to combustion products may be a hazard to health.

#### **5.3. Advice for firefighters**

**Fire Fighting Procedures:** Use water spray to cool unopened containers. Evacuate area. Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Remove undamaged containers from fire area if it is safe to do so.

**Special protective equipment for firefighters:** In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment.

### **SECTION 6: HANDLING AND STORAGE**

**6.1. Precautions for safe handling:** Avoid contact with eyes. Do not swallow. Avoid prolonged or repeated contact with skin. Take care to prevent spills, waste and minimize release to the environment. Handle in accordance with good industrial hygiene and safety practice. CONTAINERS MAY BE HAZARDOUS WHEN EMPTY.

**6.2. Conditions for safe storage, including any incompatibilities:** Keep in properly labelled containers. Store locked up. Store in accordance with the particular national regulations.

Do not store with the following product types: Strong oxidizing agents. Unsuitable materials for containers: None known.

## **SECTION 7: EXPOSURE CONTROLS/PERSONAL PROTECTION**

### **7.1. Control parameters**

If exposure limits exist, they are listed below. If no exposure limits are displayed, then no values are applicable.

Component	Regulation	Type of listing	Value
octamethylcyclotetrasiloxane	US WEEL	TWA	10 ppm
Bis [(2-ethyl-2,5- dimethyl hexanoyl)oxy](dimethyl)stannane	ACGIH	TWA	0.1 mg/m3, Tin
	Further information: A4: Not classifiable as a human carcinogen; Skin: Danger of cutaneous absorption		
	ACGIH	STEL	0.2 mg/m3, Tin
	Further information: A4: Not classifiable as a human carcinogen; Skin: Danger of cutaneous absorption		
	GB EH40	TWA	0.1 mg/m3, Tin
	Further information: Sk: Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity.		
	GB EH40	STEL	0.2 mg/m3, Tin
	Further information: Sk: Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity.		
Decamethylcyclopentasiloxane	US WEEL	TWA	10 ppm
C.I. Pigment Green 7	GB EH40	TWA Dusts and mists	1 mg/m3, Copper
	GB EH40	STEL Dusts and mists	2 mg/m3, Copper
Iron hydroxide oxide	GB EH40	TWA Fumes	5 mg/m3, Iron
	GB EH40	STEL Fumes	10 mg/m3, Iron
	GB EH40	TWA	1 mg/m3, Iron
	GB EH40	STEL	2 mg/m3, Iron

Although some of the components of this product may have exposure guidelines, no exposure would be expected under normal handling conditions due to the physical state of the material.

### **Predicted No Effect Concentration**



titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic diameter  $\leq$  10  $\mu\text{m}$ ]

Compartment	PNEC
Fresh water	0.184 mg/l
Marine water	0.0184 mg/l
Intermittent use/release	0.193 mg/l
Sewage treatment plant	100 mg/l
Fresh water sediment	1000 mg/kg
Marine sediment	100 mg/kg
Soil	100 mg/kg

Octamethylcyclotetrasiloxane

Compartment	PNEC
Fresh water	0.0015 mg/l
Marine water	0.00015 mg/l
Fresh water sediment	3 mg/kg
Marine sediment	0.3 mg/kg
Soil	0.54 mg/kg
Sewage treatment plant	10 mg/l
Oral	41 mg/kg food

Dodecamethyl cyclohexasiloxane

Compartment	PNEC
Fresh water sediment	2.826 mg/kg
Marine sediment	0.282 mg/kg
Soil	3.336 mg/kg
Sewage treatment plant	> 1.0 mg/l

Decamethylcyclopentasiloxane

Compartment	PNEC
Fresh water	> 0.0012 mg/l
Marine water	> 0.00012 mg/l
Fresh water sediment	2.4 mg/kg
Marine sediment	0.24 mg/kg
Soil	1.1 mg/kg
Sewage treatment plant	> 10 mg/l

C.I. Pigment Green 7

Compartment	PNEC
Fresh water sediment	10 mg/kg
Marine sediment	1 mg/kg
Soil	1 mg/kg

## SECTION 8: PHYSICAL AND CHEMICAL PROPERTIES

Appearance	
Physical state	paste
Color	black-grey
Odor	acetic acid
Flash point	closed cup >100 °C
Relative Density	1.02- 1.07 g/cm <sup>3</sup>
(water = 1)	
Solubility(ies)	

## **SECTION 9: STABILITY AND REACTIVITY**

**9.1. Reactivity:** Not classified as a reactivity hazard.

**9.2. Chemical stability:** Stable under normal conditions.

**9.3. Possibility of hazardous reactions:** Can react with strong oxidizing agents.

**9.4. Conditions to avoid:** None known.

**9.5. Incompatible materials:** Avoid contact with oxidizing materials.

**9.6. Hazardous decomposition products:** Decomposition products can include and are not limited to:  
Formaldehyde.

## **SECTION 10: TOXICOLOGICAL INFORMATION**

**10.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008**

**Information on likely routes of exposure**

Eye contact, Skin contact, Ingestion.

**Acute toxicity (represents short term exposures with immediate effects - no chronic/delayed effects known unless otherwise noted)**

**Acute oral toxicity**

Very low toxicity if swallowed. Harmful effects not anticipated from swallowing small amounts.

As product: Single dose oral LD50 has not been determined.

Based on information for component(s): LD50, Rat, > 5,000 mg/kg Estimated.

**Information for components:**

**titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic diameter ≤ 10 µm]**

LD50, Rat, > 10,000 mg/kg.

**Octamethylcyclotetrasiloxane**



LD50, Rat, male, > 4,800 mg/kg No deaths occurred at this concentration.

**Bis[(2-ethyl-2,5-dimethylhexanoyl) oxy] (dimethyl)stannane**

LD50, Rat, male and female, 892 mg/kg OECD 401 or equivalent.

**Dodecamethyl cyclohexasiloxane**

LD50, Rat, male and female, > 2,000 mg/kg No deaths occurred at this concentration.

**Decamethylcyclopentasiloxane**

LD50, Rat, male and female, > 24,134 mg/kg.

**C.I. Pigment Green 7**

LD50, Rat, male and female, > 5,000 mg/kg OECD Test Guideline 401.

**Iron hydroxide oxide**

LD50, Rat, > 10,000 mg/kg.

**Acute dermal toxicity**

Prolonged skin contact is unlikely to result in absorption of harmful amounts.

As product: The dermal LD50 has not been determined.

Based on information for component(s): LD50, Rabbit, > 2,000 mg/kg Estimated.

**Information for components:**

**titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic diameter  $\leq 10 \mu\text{m}$ ]**

LD50, Rabbit, 10,000 mg/kg.

**Octamethylcyclotetrasiloxane**

LD50, Rat, male and female, > 2,400 mg/kg No deaths occurred at this concentration.

Bis[(2-ethyl-2,5-dimethylhexanoyl) oxy] (dimethyl)stannane LD50, Rat, > 2,000 mg/kg.

**Dodecamethyl cyclohexasiloxane**

LD50, Rabbit, male and female, > 2,000 mg/kg.

**Decamethylcyclopentasiloxane**

LD50, Rabbit, male and female, > 2,000 mg/kg No deaths occurred at this concentration.

**C.I. Pigment Green 7**

The dermal LD50 has not been determined.

**Iron hydroxide oxide**

The dermal LD50 has not been determined.

**Acute inhalation toxicity**

Brief exposure (minutes) is not likely to cause adverse effects. Vapor from heated material may cause respiratory irritation.

### **Skin corrosion/irritation**

Based on information for component(s): Prolonged exposure not likely to cause significant skin irritation. May cause more severe response if skin is abraded (scratched or cut). May cause more severe response on covered skin (under clothing, gloves).

## **SECTION 11: ECOLOGICAL INFORMATION**

### **12.1 Toxicity**

titanium dioxide; [in powder form containing 1 % or more of particles with aerodynamic diameter  $\leq$  10  $\mu\text{m}$ ]

### **Acute toxicity to fish**

Material is not classified as dangerous to aquatic organisms (LC50/EC50/IC50/LL50/EL50 greater than 100 mg/L in most sensitive species). NOEC mortality, *Leuciscus idus* (Golden orfe), static test, 48 Hour, > 1,000 mg/l

### **Acute toxicity to aquatic invertebrates**

EC50, *Daphnia magna* (Water flea), static test, 48 Hour, > 1,000 mg/l Acute toxicity to algae/aquatic plants EC50, *Pseudokirchneriella subcapitata* (green algae), 72 Hour, > 100 mg/l, OECD Test Guideline 201

### **Toxicity to bacteria**

EC50, 3 Hour, > 1,000 mg/l, OECD Test Guideline 209

Octamethylcyclotetrasiloxane

### **Acute toxicity to fish**

Based on testing of comparable products: The estimated maximum aqueous concentration of Octamethyl Cyclotetrasiloxane (D4) from migration to water from the product as supplied is below the D4 established no-effect threshold (< 0.0079 mg/L) for aquatic organisms.

### **Chronic toxicity to aquatic invertebrates**

Based on testing for product(s) in this family of materials: Not classified due to data which are conclusive although insufficient for classification.

Bis[(2-ethyl-2,5-dimethylhexanoyl)oxy](dimethyl)stannane

## **Acute toxicity to fish**

Material is harmful to aquatic organisms (LC50/EC50/IC50 between 10 and 100 mg/L in the most sensitive species). For similar material(s): LC50, Zebra fish (Danio/Brachydanio rerio), semi-static test, 96 Hour, > 100 mg/l, OECD Test Guideline 203 or Equivalent

## **Acute toxicity to aquatic invertebrates**

EC50, Daphnia magna, static test, 48 Hour, 39 mg/l, OECD Test Guideline 202 or Equivalent

## **Acute toxicity to algae/aquatic plants**

ErC50, Algae (Scenedesmus subspicatus), Growth rate, 72 Hour, Growth rate, 7.6 mg/l, OECD Test Guideline 201 or Equivalent For similar material(s): NOEC, Algae (Scenedesmus subspicatus), Growth rate, 72 Hour, Growth rate, 1.1 mg/l, OECD Test Guideline 201 or Equivalent

## **Toxicity to bacteria**

For similar material(s): EC50, Bacteria, 3 Hour, Respiration rates., 14 mg/l

## **SECTION 12: ACCIDENTAL RELEASE**

### **12.1 Personal precautions, protective equipment and emergency procedures:**

Use personal protective equipment. Follow safe handling advice and personal protective equipment recommendations.

**12.2 Environmental precautions:** Discharge into the environment must be avoided. Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water. Local authorities should be advised if significant spillages cannot be contained.

**12.3 Methods and materials for containment and cleaning up:** Wipe up or scrape up and contain for salvage or disposal. Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable. For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container

## **SECTION 13: DISPOSAL CONSIDERATIONS**

### **13.1 Waste treatment methods**

Do not dump into any sewers, on the ground, or into any body of water. This product, when being disposed of in its unused and uncontaminated state should be treated as a hazardous waste

according to EC Directive 2008/98/EC. Any disposal practices must be in compliance with all national and provincial laws and any municipal or local by-laws governing hazardous waste. For used, contaminated and residual materials additional evaluations may be required. The definitive assignment of this material to the appropriate EWC group and thus its proper EWC code will depend on the use that is made of this material. Contact the authorized waste disposal services.

## SECTION 14: TRANSPORT INFORMATION

### Classification for ROAD and Rail transport (ADR/RID):

- 14.1 UN number or ID number** Not applicable
- 14.2 UN proper shipping name** Not regulated for transport
- 14.3 Transport hazard class(es)** Not applicable
- 14.4 Packing group** Not applicable
- 14.5 Environmental hazards** Not considered environmentally hazardous based on available data.
- 14.6 Special precautions for user** No data available.

### Classification for SEA transport (IMO-IMDG):

- 14.1 UN number or ID number** Not applicable
- 14.2 UN proper shipping name** Not regulated for transport
- 14.3 Transport hazard class(es)** Not applicable
- 14.4 Packing group** Not applicable
- 14.5 Environmental hazards** Not considered as marine pollutant based on available data
- 14.6 Special precautions for user** No data available.
- 14.7 Maritime transport in bulk according to IMO instruments**  
Consult IMO regulations before transporting ocean bulk

### Classification for AIR transport (IATA/ICAO):

- 14.1 UN number or ID number** Not applicable
- 14.2 UN proper shipping name** Not regulated for transport
- 14.3 Transport hazard class(es)** Not applicable
- 14.4 Packing group** Not applicable
- 14.5 Environmental hazards** Not applicable

#### 14.6 Special precautions for user No data available.

This information is not intended to convey all specific regulatory or operational requirements/information relating to this product. Transportation classifications may vary by container volume and may be influenced by regional or country variations in regulations. Additional transportation system information can be obtained through an authorized sales or customer service representative. It is the responsibility of the transporting organization to follow all applicable laws, regulations and rules relating to the transportation of the material.

## **SECTION 15: REGULATORY INFORMATION**

### **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

#### **REACH Regulation (EC) No 1907/2006**

This product contains only components that have been either registered, are exempt from registration, are regarded as registered or are not subject to registration according to Regulation (EC) No. 1907/2006 (REACH)., The aforementioned indications of the REACH registration status are provided in good faith and believed to be accurate as of the effective date shown above. However, no warranty, express or implied, is given. It is the buyer's/user's responsibility to ensure that his/her understanding of the regulatory status of this product is correct.

#### **REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, preparations and articles (Annex XVII)**

Conditions of restriction for the following entries should be considered:

octamethylcyclotetrasiloxane (Number on list 70) Bis[(2-ethyl-2,5-dimethylhexanoyl)oxy](dimethyl)stannane (Number on list 20) Decamethylcyclopentasiloxane (Number on list 70)

The following substance/s contained in this product might be or is/are subject to authorization in accordance with REACH:

CAS-No.: 556-67-2 Name: octamethylcyclotetrasiloxane

Authorisation status: listed in the Candidate List of Substances of Very High Concern for

Authorisation Authorisation number: Not available

Sunset date: Not available

Exempted (Categories of) Uses: Not available

CAS-No.: 540-97-6 Name: Dodecamethyl cyclohexasiloxane

Authorisation status: listed in the Candidate List of Substances of Very High Concern for

Authorisation Authorisation number: Not available

Sunset date: Not available

Exempted (Categories of) Uses: Not available

CAS-No.: 541-02-6 Name: Decamethylcyclopentasiloxane

Authorisation status: listed in the Candidate List of Substances of Very High Concern for

Authorisation Authorisation number: Not available

Sunset date: Not available

Exempted (Categories of) Uses: Not available

**Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.**

Listed in Regulation: Not applicable

## 15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this substance/mixture.

## SECTION 16: OTHER INFORMATION

H226	Flammable liquid and vapor.
H302	Harmful if swallowed.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H351	Suspected of causing cancer if inhaled.



- H361f Suspected of damaging fertility.  
H410 Very toxic to aquatic life with long lasting effects.  
H412 Harmful to aquatic life with long lasting effects.

**Classification and procedure used to derive the classification for mixtures according to Regulation (EC) No 1272/2008**

This product is not classified as dangerous according to EC criteria.