

FINAL RTV SILICONE

SECTION 1: IDENTIFICATIONS OF THE SUBSTANCE /MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

Product form : MIXTURE

Trade name : FINAL RTV SILICONE 85 GR

Product code : 5130 Sealant Acetoxy

Type of product : SILICONE SEALANT

Product group : TRADE PRODUCT

1.2. Relevant identified uses of the substance or mixture and uses discouraged

Intended use: Silicone sealant.

1.3. Details of the supplier providing the safety data sheet

Head office: Final İthalat İhracat Sanayi Ve Ticaret Limited Şirketi. Halkalı Merkez Mah. Dereboyu Cad.

34303 küçükçekmece/İstanbul

Phone: +90 (212) 979 08 53

info@final-ticaret.com www.final-ticaret.com

1.4. Emergency telephone number

Poison emergency hotline İstanbul: +90 (212) 979 08 53.

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

Classification (CLP)

The substance or mixture is not hazardous in accordance with Regulation (EC) No 1272/2008 (CLP).

Classification (DPD)

No classification required.

2.2. Labelling elements

Marking elements (CLP)

The substance or mixture is not hazardous in accordance with Regulation (EC) No 1272/2008 (CLP).

Related Informations

Contains vinyloximinosilan; Butane-2-on-O, O', O''-(methylsilylidyn)trioxim; butanonoxime; N-(3-

(Trimethoxy silyl) propyl) ethylenediamine. May cause allergic reactions.



Security

P102 Must not get into the hands of children.

P101 If medical advice is required, have packaging or label ready.

P262 Do not allow to get into the eyes, skin or clothing.

P271 Use outdoors or in.

Well-ventilated rooms only.

2.3. Other hazards

Methyl ethyl ketoxime is formed during curing.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

General chemical characterization

1 K-silicone joint sealant Base.

substances of the preparation

Polydimethylsiloxane.

Anorganic fillers.

Ingredient information according to CLP (EC) No 1272/2008:

Dangerous ingredients	ts EC number REACH.Reg. Salary		Classification
CAS No.	No		
Distillates (petroleum),	265-148-2 01-	> 1- < 5 %	Aspiration hazard 1 H304
hydrogen-treated medium	2119552497-29 01-		
gas oil not specified	2119827000-58		
64742-46-7			
Butane-2-on-O, O', O''-	245-366-4	>= 0.1- < 1 %	irritant effect on the skin
(methylsilylidyne) trioxim	7777777777777777		2; Dermal
22984- 54-9			H315
111111111111111111111111111111111111111			sensitization of the skin 1;
\			Dermal
\	1444444444444		H317
\ \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	747/14/14/14/14/14/14		Severe eye irritation. 2
\ \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\			H319
N-(3- (trimethoxy silyl)	217-164-6	>= 0.1- < 1 %	sensitization of the skin 1;
propyl) ethylenediamine	14/4/4/4/4/4/4/4/		Dermal
1760-24-3	14444/8/8/87848/1/		H317
	WH / F/ F/ F/ F/ F/ F/ F/		Severe eye
	NHELLITTET ET ET ET ET		damage/irritation 1
			H318
	VIII ET ET ET ET ET ET E		Acute toxicity 4; inhaled
	- W/////////		H332



	/		Chronic aquatic toxicity 3
	/		H412
Vinyloximinosilan 2224-	218-747-8	>= 0.1- < 1 %	irritant effect on the skin
33-1	/		2; Dermal
	/	\.	H315
			sensitization of the skin 1;
	/		Dermal
	/		H317
	/		Severe eye irritation. 2
	/	\	H319
Butanonoxime 96-29- 7	202-496-6	>= 0.1- < 1 %	Severe eye damage 1
	/		H318
	/		Sensitization of the skin 1
	/		H317
			Carcinogenicity 2
		\	H351
			Acute toxicity 4; Dermal
	/	\	H312

SECTION 4: FIRST AID MEASURES

4.1. Description of first aid measures

General information

In case of complaints, consult a doctor.

Inhale

Fresh air, consult a doctor in case of persistent complaints.

Skin contact

Rinse with running water and soap. Skin care. Change soiled, soaked clothes. If necessary, consult a dermatologist.

Eye contact

Rinse under running water, consult a doctor if necessary.

Swallow

Rinsing the oral cavity, drinking 1-2 glasses of water, consult a doctor.

4.2. Indications of emergency medical assistance or special treatment.

See chapter: Description of first aid measure.

SECTION 5: FIREFIGHTING MEASURES

5.1. Extinguishing agents

KIMYA SANAYI VE TICARET LIMITED ŞIRKETİ CHEMICAL S. I SEALANTS I ADDIESIVES

MATERIAL SAFETY DATA SHEETS

Suitable extinguishing agents

Carbon dioxide, foam, powder, water spray jet/mist.

Unsuitable extinguishing agents for safety reasons:

Full jet of water.

5.2. Specific hazards posed by the substance or community

In the event of a fire, carbon monoxide (CO) and carbon dioxide (CO2) can be released.

5.3. Firefighting

instructions Wear personal protective equipment. Wear ambient air-independent respiratory protection.

SECTION 6: MEASURES IN THE EVENT OF ACCIDENTAL RELEASE

6.1. Personal precautions, protective equipment and procedures to be followed in emergencies

Wear personal protective equipment.

Avoid contact with the eyes and skin.

Ensure adequate ventilation.

6.2. Environmental protection measures

Do not allow to enter the sewerage / surface water / groundwater.

SECTION 7: HANDLING AND STORAGE

7.1. Protective measures for safe handling Avoid

skin and eye contact Sufficient ventilation of work areas.

Hygiene measures:

Do not eat, drink or smoke at work.

Wash hands before breaks and after work.

7.2. Conditions for safe storage, taking into account incompatibilities, keep containers tightly

Store frost-free.

Temperatures between 0 °C and + 30 °C.

Do not store together with food and beverages.

7.3. Specific end-use applications

Joint sealant, silicone.

SECTION 8: LIMITATION AND MONITORING OF EXPOSURE / PERSONAL PROTECTIVE EQUIPMENT

KIMYA SANAYI VE TICARET LIMITED ŞIRKETİ CHEMICAL S. I SEALANTS I ADDESIVES

MATERIAL SAFETY DATA SHEETS

8.1. Limitation and monitoring of exposure

Respiratory

Suitable respirator with insufficient ventilation.

Combination filter ABEKP

This recommendation must be adapted to local conditions.

Guard

Gloves made of nitrile with a material thickness of >0.1 mm (breakthrough time < 30s) are recommended. Gloves must be changed after a single short-term contact or contamination! These are available in laboratory shops or pharmacies.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Appearance firm

pasty

grey

Smell characteristic

Density (20°C (68°F)) 1.30 g/cm3

Solubility qualitatively and internationally

(23 °C (73.4 °F); L sm.: Water)

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity

Reaction with acids: heat and carbon dioxide development.

10.2. Chemical stability

Stable under specified storage conditions.

10.3. Conditions to be avoided

None known when used as intended.

10.4. Dangerous decomposition products

Methyl ethyl ketoxime is formed during curing.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

General information on toxicology



The mixture is based on the available hazard data of the ingredients, as defined in the Classification criteria for mixtures for each hazard class are classified in Annex I of Directive 1272/2008/EC. Relevant available information on health and environmental aspects of the substances from Chapter 3 is provided below.

Skin irritation

Primary skin irritation: Slightly irritating, not requiring identification.

Eye irritation

Primary eye irritation: Slightly irritating, not subject to labelling.

Sensitisation

After repeated skin contact with the product, an allergy cannot be ruled out.

Acute oral toxicity

Dangerousingredients CAS No.	Value	Value	Recording path	Expositio nsdauer	Species	Method
Butanonoxime 96-29-	LD50	2,326	oral		Rat	OECD Guideline 401
7	/	mg/kg			1	(Acute Oral Toxicity)

Acute dermal toxicity

Dangerous	Value	Value	Recording	Expositio	Species	Method
ingredients CAS No.			path	nsdauer		
Butanonoxime 96-29-	LD50	> 1,000	dermal		Rabbit	OECD Guideline 402
7	777777	mg/kg			1,1,1,1,1,1,1	(Acute Dermal
	1111111					Toxicity)
Butanonoxime 96-29-	Acute	1,100			1, 1, 1, 1, 1, 1, 1, 1	Expert Evaluation
7	toxicity	mg/kg				
1111222	Estimate	1111111	7777 A V V V	1111111	11/1/1/1/	
	(ATE)	17/1///	////\		7/7/7/	773701

Severe eye damage/irritation

Dangerous ingredients CAS	Result	Expositions Dauer	Species	Method
No.				
N-(3- (trimethoxy	Risk of serious eye	973747A/XX	Rabbit	OECD Guideline 405 (Acute
silyl) propyl) e	damage	<i>(\$/.6/.6/.6</i> /\\\\		Eye Irritation / Corrosion)
thylendiamine	MIN 1/1/1/2/2/2/2/2/	///////ANA		
1760-24-3	WWH111/3/1	7////////ANN		
Butanonoxime 96-	Category 1	PPPPPPPA	Rabbit	OECD Guideline 405 (Acute
29- 7	(irreversible	/////////		Eye Irritation / Corrosion)
	effects on the eye)	///////////\		



Sensitization of the respiratory tract/skin

Dangerous ingredients CAS No.	Result	Test type	Species	Method
N-(3- (trimethoxysilyl) propyl) e thylendiamine 1760-24-3	sensitizing	local mouse lymph node E Pattern	Guineans	OECD Guideline 429 (Skin Sensitization: Local Lymph Node Assay)
Butanonoxime 96- 29- 7	sensitizing	Meerschw einchen	Guineans	OECD Guideline 406 (Skin Sensitisation)

SECTION 12: ACCIDENTAL RELEASE

12.1. Personal precautions, protective equipment and procedures to be followed in

emergencies

Wear personal protective equipment.

Avoid contact with the eyes and skin.

Ensure adequate ventilation.

12.2. Environmental protection measures

Do not allow to enter the sewerage / surface water / groundwater.

12.3. Mechanically absorb methods and material for retention and cleaning .

SECTION 13: DISPOSAL NOTICE

13.1. Waste treatment process

Disposal of the product:

Dispose of product residues in compliance with local official regulations.

Disposal of uncleaned packaging:

Recycle packaging only completely emptied.

SECTION 14: TRANSPORT INFORMATION

KIMYA SANAYI VE TICARET LIMITED ŞIRKETİ CHEMICAL S. I. SEAL ANTS. I. ADHESIVES

MATERIAL SAFETY DATA SHEETS

14.1. UN number

No dangerous goods within the meaning of RID, ADR, ADNR, IMDG, IATA-DGR

14.2. Proper UN shipping designation

No dangerous goods within the meaning of RID, ADR, ADNR, IMDG, IATA-DGR

14.3. Transport hazard classes

No dangerous goods within the meaning of RID, ADR, ADNR, IMDG, IATA-DGR

14.4. Packaging group

No dangerous goods within the meaning of RID, ADR, ADNR, IMDG, IATA-DGR 14.5.

14.5 Environmental hazards

No dangerous goods within the meaning of RID, ADR, ADNR, IMDG, IATA-DGR

14.6. Special precautions for the user

No dangerous goods within the meaning of RID, ADR, ADNR, IMDG, IATA-DGR

14.7. Bulk transport in accordance with Annex II to MARPOL 73/78 and IBC Code

Not applicable

SECTION 15: REGULATORY INFORMATION

15.1.Safety, health and environmental requirements/specific legislation for the substance or mixture VOC content 0.00 % (VOCV 814.018 VOC Regulation CH)

15.2. Chemical safety assessment A chemical safety assessment has not been carried out.

National Regulations/Notes (Germany):

WGK: 1, weakly water-polluting product. (VwVwS of 17 May 1999)

Classification according to mixing rule

Storage class according to TRGS 510: 11

SECTION 16: OTHER INFORMATION

H304 Can be fatal if swallowed and penetrated into the respiratory tract.

H312 Harmful to health in contact with the skin.

H315 Causes skin irritation.



H317 May cause allergic skin reactions.

H318 Causes severe eye damage.

H319 Causes severe eye irritation.

H332 Harmful to health when inhaled.

H351 Can probably cause cancer.

H412 Harmful to aquatic organisms, with long-term effects.